



by Honeywell

## PRODUCT CATALOGUE



# LOVE YOUR FEET MORE



## SOLE FEATURES



### Electrical Resistant

Electrical Hazard (EH) Protection reduces the danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11



### Antistatic

Minimises the build up of electrostatic charges and provides protection against the risk of spark ignition for such hazards as flammable materials and gases.



### HYDROstop®

Offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.



**Heat resistant sole (266° F)**



**Heat resistant sole (572° F)**



**Abrasion resistant sole**



**Sole resistant to organic oils and fats**



**Sole resistant to mineral oils and acids**



**Cut resistant sole**

## SPECIAL FEATURES



### Metatarsal Protection

Provides increased protection against the risk of impact and crush injuries. Metatarsal guards coupled with safety toe caps offer complete fore foot protection.



### Sole Penetration Protection

Offers the reduced risk of sharp objects penetrating the sole and entering the foot.



### SAFETYcell® Protection

Fully integrated TPU (Thermo Plastic Urethane) shell offers enhanced abrasion and cut resistance from harsh working conditions.



**Water Resistant leather**



**Waterproof footwear**



**Toe Bumper**



**HEELguard**




**Hi-Vis Reflective Safety Trim**

## COMFORT FEATURES



### COMFORTcushion® Impact Absorption

Provides superior cushioning and shock absorption helping to reduce foot, leg and back fatigue.



### NANOLite® Footbed

Massages feet as you walk, offering ultimate comfort and enhancing blood flow to reduce fatigue.



### NATUREform® wide profile Type 1 safety toe cap

Offers a wide profile shape for greater comfort and ensuring toes are not in contact with the toe cap.



### Antimicrobial Technology

Revolutionary anti-bacterial solution provides protection against odour, staining and deterioration caused by bacteria, fungus and other micro-organisms.



### SOFTstride® Contour Comfort Support

Low density urethane foam contours to the individual foot shape to provide ultimate comfort and support.

## TOE CAP FEATURES



### Steel Safety Toe Cap

Type 1 Steel toe cap offers protection against drop and crush injuries. Developed to withstand a force of 200 joules.



### Composite Safety Toe Cap

Non-Metallic Type 1 toe cap protection against drop and crush injuries. Lightweight and airport friendly. Developed to withstand a force of 200 joules.



## SLIP RESISTANCE



### Slip Resistant Sole

The following abbreviations provide information about slip resistance ratings:







**SRA:** Slip resistance tested on ceramic tile floor with sodium lauryl sulphate (SLS) solution.

**SRB:** Slip resistance tested on steel floor with glycerol.

**SRC:** Slip resistance tested on both ceramic tile floor with SLS solution and steel floor with glycerol.



# CONTENTS

	<b>45 Series</b> Dual Density PU / TPU Footwear	<b>4</b>
	<b>55 Series</b> Dual Density PU / Rubber Footwear	<b>6</b>
	<b>55 Metatarsal Series</b> Dual Density PU/Rubber Footwear	<b>8</b>
	<b>65 Series</b> Mining/Caustic Resistant Footwear	<b>9</b>
	<b>34 Series</b> Dual Density PU Footwear	<b>10</b>
	<b>26 Series</b> Dual Density PU Non Safety Footwear	<b>16</b>
	<b>22 Series</b> PVC Safety Gumboot	<b>18</b>
	<b>44 Series</b> Dual Density PU / TPU Footwear	<b>19</b>
	<b>49 Series</b> Dual Density PU / Rubber Ladies Footwear	<b>20</b>
	<b>38 Series</b> Dual Density PU Executive Footwear	<b>22</b>
	<b>66 Series</b> Smelter Footwear	<b>23</b>
	<b>66 Series</b> Fire & Emergency Services Footwear	<b>24</b>
	<b>Accessories</b>	<b>25</b>
	<b>Index</b>	<b>26</b>



**LOVE YOUR  
FEET MORE**

 [Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)

 [@oliverfootwear](https://www.instagram.com/oliverfootwear)



# 45 SERIES | DUAL DENSITY PU / TPU FOOTWEAR



COMPLIES WITH



AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11

**COMFORTcushion®** Impact Absorption System uses a combination of cellular urethane and PORON<sup>1</sup>

Full lining infused with eco friendly Odorban<sup>2</sup> Control Technology to absorb odour for optimum freshness and hygiene

Long wearing TPU outsole designed to self clear rocks and debris from tread. Excellent abrasion resistance

Water resistant leather

Latex toe cap liner for added comfort  
Protection strip

Bevelled heel for excellent slip resistance



Stabilising and support shank

Shock absorbing Polyurethane midsole

Oliver Comfort Footbed enhances natural air flow; infused with Odorban<sup>TM</sup> Control Technology.

Oliver **SOFTstride®** open cell low density urethane foam for comfort and contour support

<sup>1</sup> PORON® 2013 Rogers Corporation. All Rights Reserved  
<sup>2</sup> © Devan Chemicals NV 2015

## 45 SERIES COMFORT TECHNOLOGY



**COMFORTcushion**  
Impact Absorption



**NATUREform**  
wide profile Type 1 safety toe cap



Water Resistant leather



Non-Metallic Composite Toecap



**SOFTstride**  
Contour Comfort Support



Antimicrobial Technology



### Odorban<sup>TM</sup> Control Technology

The Oliver Comfort System footbed now includes Odorban<sup>TM</sup> Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



### COMFORTcushion® Impact Absorption System

**COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg, and lower back fatigue.



### Oliver **SOFTstride®** Comfort System

Oliver **SOFTstride®** Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride®** gives added reassurance to help you get through those long hours on your feet.



Guaranteed not to set off airport metal detectors.

### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.



## AT45 SERIES



### 45-632Z

#### 150MM WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic
- Convenient side zip

Sizes: 5 - 14, 6½ - 10½

EXTRA FEATURES:



### 45-645Z

#### 150MM BLACK ZIP SIDED BOOT

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic
- Convenient side zip

Sizes: 5 - 14, 6½ - 10½

EXTRA FEATURES:



### 45-637

#### 150MM BROWN LACE UP BOOT

- Water resistant pull up leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



### 45-632

#### 150MM WHEAT LACE UP BOOT

- Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



### 45-645

#### 150MM BLACK LACE UP BOOT

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



### 45-627

#### BROWN ELASTIC SIDED BOOT

- Water resistant pull up leather
- Comfort footbed infused with **Odorban™** Control Technology
- Fully non-metallic

Sizes: 5 - 14, 6½ - 10½



#### COMFORT GUARANTEE†

† Must produce dated receipt and guarantee tag

Try a pair of correctly fitted Oliver AT45 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

#### All AT45 styles are airport friendly



## SOLING TECHNOLOGY



#### AT's All Terrain TPU Soling Technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- High density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.
- Heat resistant outsole to temperatures of 130° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.
- Resistant to most oils, acids and chemicals.
- Superior resistance to abrasion, splitting and cracking.
- Superior slip resistance, rated SRB.
- Will not mark floors.



# 55 SERIES | DUAL DENSITY PU / RUBBER FOOTWEAR



COMPLIES WITH



AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



Oliver COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene.

Lace locking fixture

Water resistant leather

HEELguard® for stability and impact protection

NANOlite® footbed for enhanced comfort and reduced odour

Bevelled heel for excellent slip resistance

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON®

Oliver SOFTstride® open cell low density urethane foam for comfort and contour support

Stabilising and support shank

Shock absorbing Polyurethane midsole

Deep tread profile with self-cleaning design

Long wearing All Terrain rubber outsole designed for superior grip and durability. Anti Static

Latex toe cap liner for added comfort  
Protection strip

NATUREform® Type 1 Toe Cap. Wider profile for greater comfort

TECtuff® toe guard

Kevlar® thread on critical wear seams for maximum abrasion and chemical resistance

<sup>3</sup> Kevlar 2013 DuPont

## 55 SERIES COMFORT TECHNOLOGY



COMFORTcushion  
Impact Absorption



NATUREform  
wide profile Type 1 safety toe cap



Water Resistant leather



Steel Safety Toe Cap



Toe Bumper



NANOlite footbed



Antimicrobial Technology



SOFTstride  
Contour Comfort Support



HEELguard



### NANOlite® Technology

The Oliver Comfort System now has a unique **NANOlite®** footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.

### COMFORTcushion® Impact Absorption System

Oliver's unique **COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

### Oliver SOFTstride® Comfort System

Oliver **SOFTstride®** Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride®** gives added reassurance to help you get through those long hours on your feet.



# LIGHTEST 55 SERIES EVER

AT55 SERIES



## 55-320

### BLACK ELASTIC SIDED BOOT

- Water resistant full grain leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
- Sizes: 4 - 14, 6½ - 12½



## 55-322

### WHEAT ELASTIC SIDED BOOT

- Water resistant nubuck leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
- Sizes: 4 - 14, 6½ - 12½



## 55-332

### 150MM WHEAT LACE UP BOOT

- Water resistant nubuck leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
- Sizes: 4 - 14, 6½ - 12½



## 55-332Z

### 150MM WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
  - Convenient quick release zipper
- Sizes: 4 - 14, 6½ - 12½



## 55-337

### 150MM BROWN LACE UP BOOT

- Water resistant pull up leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
- Sizes: 4 - 14, 6½ - 12½



## 55-345

### 150MM BLACK LACE UP BOOT

- Water resistant full grain leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
- Sizes: 4 - 14, 6½ - 12½



## 55-345Z

### 150MM BLACK ZIP SIDED BOOT

- Water resistant full grain leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
  - Convenient quick release zipper
- Sizes: 4 - 14, 6½ - 12½



## 55-385

### 200MM HI-LEG WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
  - Premium **COOLstep**® lining for optimum freshness
  - **NANOlite**® footbed for greater comfort
  - Convenient quick release zipper
- Sizes: 4 - 14, 6½ - 12½



## COMFORT GUARANTEE†

† Must produce dated receipt and guarantee tag

Try a pair of correctly fitted Oliver AT55 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †



## SOLING TECHNOLOGY



### AT's All Terrain Dual Density PU/Rubber Soling technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- All Terrain nitrile rubber outsole with new deeper tread profile and self-cleaning design for superior grip and durability.
- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 55 SERIES METATARSAL DUAL DENSITY PU / RUBBER FOOTWEAR



COMPLIES WITH



AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



## 55-346 150MM BLACK LACE UP BOOT

- Water resistant full grain leather
- Premium **COOLstep®** lining for optimum freshness
- **NANOlite®** footbed for greater comfort
- **PORON® XRD™** Metatarsal Guard
- **Q-Flex®** non-metallic penetration protection insole

Sizes: 4 - 14, 6½ - 12½



## 55-336 150MM WHEAT LACE UP BOOT

- Water resistant nubuck leather
- Premium **COOLstep®** lining for optimum freshness
- **NANOlite®** footbed for greater comfort
- **PORON® XRD™** Metatarsal Guard
- **Q-Flex®** non-metallic penetration protection insole

Sizes: 4 - 14, 6½ - 12½



Oliver **SOFTstride®** Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride®** gives added reassurance to help you get through those long hours on your feet.



Oliver **COOLstep®** lining to absorb moisture and odour for optimum freshness and hygiene.

# 55 SERIES METATARSAL COMFORT & SOLING TECHNOLOGY

METATARSAL RANGE EXTRA FEATURES:



Midssole penetration protection



Metatarsal protection



Electrical Resistant



**PORON® XRD™ REVOLUTIONARY METATARSAL PROTECTION**

## PORON® XRD™ Metatarsal Guard - Extreme Impact Protection.

**PORON® XRD™** is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the **PORON® XRD™** high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force\* - hit after hit.

\*as measured according to ASTM-F1614-C  
**PORON®** and **XRD™** are licensed trademarks of Rogers Corporation



## NANOlite® Technology

The Oliver Comfort System now has a unique **NANOlite®** footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.

## COMFORTcushion® Impact Absorption System

Oliver's unique **COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

## NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



**COMFORT GUARANTEE †**

† Must produce dated receipt and guarantee tag

## AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing nitrile rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

## AT's Rubber soling technology offers:

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 65 SERIES

## MINING/CAUSTIC RESISTANT FOOTWEAR



**COMPLIES WITH** ✓  
AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



### 65-691

#### 350MM BLACK LACE UP MINING BOOT

- Water resistant full grain leather
- Heavy duty **Nomex**<sup>4</sup> heat and flame resistant stitching
- Integrated TPU **SAFETYcell**<sup>®</sup>
- **SYMPATEX**<sup>5</sup> waterproof liner
- Internal **PORON**<sup>®</sup> XRD metatarsal guard
- **Q-flex**<sup>®</sup> non metallic penetration protection insole
- Fully lined with padded comfort collar and tongue
- Full bellows tongue

Sizes: 5 - 14, 6½ - 10½

#### EXTRA FEATURES:



**OPTIONAL LACE IN  
QUICK RELEASE  
ZIPPER ATTACHMENT.**



### 65-393

#### 240MM TAN PULL ON RIGGERS BOOT

- Caustic and water resistant full grain leather
- **PORON**<sup>®</sup> XRD Metatarsal guard
- Heavy duty Kevlar<sup>2</sup> stitching on critical seams
- Integrated TPU **SAFETYcell**<sup>®</sup>
- Fully lined

Sizes: 5 - 14, 6½ - 10½

#### EXTRA FEATURES:



### 65-390

#### 150MM TAN LACE UP BOOT

- Caustic and water resistant full grain leather
- Heavy duty Kevlar<sup>®</sup> stitching on critical seams
- Integrated TPU **SAFETYcell**<sup>®</sup>
- Fully lined with padded collar and tongue
- Lace locking device

Sizes: 5 - 14, 6½ - 10½

# 65 SERIES

## COMFORT TECHNOLOGY



**COMFORTcushion**  
Impact  
Absorption



**NANOlite**  
footbed



**NATUREform**  
wide profile Type  
1 safety toe cap



**Steel Safety**  
Toe Cap



**Water Resistant**  
leather



**SAFETYcell**  
protection



† Must produce dated receipt and guarantee tag




#### NANOlite<sup>®</sup> Technology

The Oliver Comfort System now has a unique **NANOlite**<sup>®</sup> footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



#### NATUREform<sup>®</sup> Type 1 Toe Cap

Oliver **NATUREform**<sup>®</sup> toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**<sup>®</sup> caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



#### COMFORTcushion<sup>®</sup> Impact Absorption System

Oliver's unique **COMFORTcushion**<sup>®</sup> uses a combination of cellular urethane and **PORON**<sup>®</sup> performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



#### PORON<sup>®</sup> XRD<sup>™</sup> Metatarsal Guard

**PORON**<sup>®</sup> XRD is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the **PORON**<sup>®</sup> XRD high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force\* - hit after hit.

\*as measured according to ASTM-F1614-C



## SOLING TECHNOLOGY



**Heat Resistant**  
sole (572° F)



**Abrasion**  
Resistant sole



**Cut Resistant**  
sole



**Slip Resistant**  
sole



**Sole resistant to**  
mineral oils  
and acids



**Sole resistant to**  
organic oils  
and fats



**Antistatic**  
discharges static  
build-up

#### AT's All Terrain Dual Density PU/Rubber Soling technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- Long wearing All Terrain nitrile rubber outsole is designed for superior grip and durability.
- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

<sup>4</sup> Nomex Dupont

<sup>5</sup> Sympatex Technologies GmbH



# 34 SERIES | DUAL DENSITY PU FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-2011



## 34 SERIES COMFORT TECHNOLOGY



**COMFORTcushion**  
Impact Absorption



**NATUREform**  
wide profile Type 1 safety toe cap



Steel Safety  
Toe Cap



Water Resistant  
leather



Antimicrobial  
Technology



### COMFORTcushion® Impact Absorption System

**COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.



### Odorban™ Control Technology

The Oliver Comfort System footbed now includes **Odorban™** Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.





## 34-660

### BLACK ZIP SIDED ANKLE BOOT

- Water resistant full grain leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
  - Convenient side zip
  - Toe bumper to protect against scuffing
- Sizes:** 4 - 13, 6½ - 10½

EXTRA FEATURES:



## 34-662

### WHEAT ZIP SIDED ANKLE BOOT

- Water resistant nubuck leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
  - Convenient side zip
  - Toe bumper to protect against scuffing
- Sizes:** 4 - 13, 6½ - 10½

EXTRA FEATURES:



ALSO AVAILABLE:



**STEELflex®** midsole available with style 34-662P



## 34-634

### BLACK LACE UP ANKLE BOOT

- Water resistant full grain leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½

ALSO AVAILABLE:



**STEELflex®** midsole available with style 34-634P



## 34-632

### WHEAT LACE UP ANKLE BOOT

- Water resistant nubuck leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
- Sizes:** 4 - 13, 6½ - 10½

ALSO AVAILABLE:



**STEELflex®** midsole available with style 34-632P



## 34-674

### 190MM HIGH LEG BEIGE ZIP SIDED BOOT

- Water resistant suede leather
  - Full lining and comfort footbed infused with **Odorban™** Control Technology
  - Convenient side zip
  - Toe bumper to protect against scuffing
- Sizes:** 4 - 13, 6½ - 10½

EXTRA FEATURES:



ALSO AVAILABLE:



**STEELflex®** midsole available with style 34-674P



## HYDROstop® PROTECTION

**HYDROstop®** offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.



## SOLING TECHNOLOGY



**HYDROstop**  
3 year guarantee against hydrolysis



**130°C**  
Heat Resistant sole (266° F)



**Abrasion**  
Resistant sole



**Cut Resistant**  
sole



**Slip Resistant**  
sole



**Sole resistant to**  
mineral oils and acids



**Sole resistant to**  
organic oils and fats



**Electrical Hazard**  
Resistant

### GRIPthane® Dual Density Polyurethane sole

- Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- Hard wearing PU outsole is designed for superior grip and durability
- Heat resistant outsole to temperatures of 130° Celsius
- Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11
- Resistant to mineral and organic oils and acids
- Superior resistance to abrasion and cutting
- Excellent slip resistance, rated SRC





### 34-692

#### 250MM BROWN PULL ON RIGGERS BOOT

- Water resistant pull up leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Toe bumper to protect against scuffing

Sizes: 4 - 13, 6½ - 10½

EXTRA FEATURES:



TOE BUMPER

### 34-626

#### CLARET ELASTIC SIDED BOOT

- Water resistant full grain leather
- Comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-620

#### BLACK ELASTIC SIDED BOOT

- Water resistant full grain leather
- Comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-624

#### BEIGE ELASTIC SIDED BOOT

- Water resistant suede leather
- Comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-680

#### BLACK ELASTIC SIDED BOOT

- Barton printed leather
- Comfort footbed infused with **Odorban™** Control Technology
- This style is not water resistant

Sizes: 4 - 13, 6½ - 10½



COMFORT Cushion Impact Absorption



NATUREform wide profile Type 1 safety toe cap



Steel Safety Toe Cap



Water Resistant leather



Antimicrobial Technology





## HYDROstop® PROTECTION

HYDROstop® offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.



COMPLIES WITH



AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11

### 34-623

#### BLACK LACE UP ANKLE JOGGER

- Water resistant suede leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½

### 34-613

#### BLACK LACE UP JOGGER

- Water resistant suede leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-652

#### BLACK LACE UP DERBY SHOE

- Water resistant smooth full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-615

#### WHEAT SLIP ON SPORTS SHOE

- Water resistant nubuck leather with **EXPANDflex®** for easy donning and doffing
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½



### 34-610

#### BLACK SLIP ON SPORTS SHOE

- Water resistant nubuck leather with **EXPANDflex®** for easy donning and doffing
- Full lining and comfort footbed infused with **Odorban™** Control Technology

Sizes: 4 - 13, 6½ - 10½

## SOLING TECHNOLOGY



HYDROstop  
3 year guarantee  
against hydrolysis



Heat Resistant  
sole (266° F)



Abrasion  
Resistant sole



Cut Resistant  
sole



Slip Resistant  
sole



Sole resistant to  
mineral oils  
and acids



Sole resistant to  
organic oils  
and fats



Electrical Hazard  
Resistant





by Honeywell

## A PROUD TRADITION - FOUNDED 1887


Oliver Footwear, Australia's leading Safety Footwear Manufacturer owes its origins to gold mining in the Victorian provincial city of Ballarat.

Our founder James Oliver, a boot-maker by trade, came to the goldfields of Ballarat, then amongst the richest alluvial and underground mining fields in the world, in the mid 1800's. His quest for the elusive nuggets was unsuccessful, so he returned to the trade of boot-making which he had learned in the U.K.

Established as the business of Oliver & Stevens, the new venture commenced producing tough and durable boots for miners and farmers in 1887.

The same entrepreneurial streak which marked the establishment of the business in 1887 continues today with Oliver Footwear building on its commitment to footwear manufacturing in Ballarat, Australia, operating a modern manufacturing plant supported by a dedicated team of employees.

Product research and development to address the needs and demands of tough workplace safety environments will always be a central part of our company philosophy.



1938 - Jack Oliver's 60 Bridge Street Store.  
This photograph was taken during Ballarat's centenary celebrations.





# LOVE YOUR FEET MORE



Ongoing investment in manufacturing technology, business systems and people ensures that Oliver continues to adopt world's best practice in all parts of the business.

Oliver is now part of Honeywell Industrial Safety which offers not just the world's most comprehensive lines of Personal Protective Solutions but the most respected brands that make workers embrace safety on their own.





# 26 SERIES | NON SAFETY FOOTWEAR



**COMPLIES WITH**   
AS/NZS 2210.5:2009  
EN ISO 20347:2012  
ASTM F2892-11



## 26 SERIES COMFORT TECHNOLOGY



COMFORTcushion  
Impact  
Absorption



Water Resistant  
leather



Antimicrobial  
Technology



### COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® to protect the heel and ball of the foot by providing superior cushioning and shock absorption, reducing foot, leg, and lower back fatigue.



### Odorban™ Control Technology

The Oliver Comfort System footbed now includes Odorban™ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.





## 26-660

### 140MM BLACK ZIP SIDED BOOT

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology
- Convenient side zip

**Sizes:** 4 - 13, 6½ - 10½



## 26-620

### BLACK ELASTIC SIDED BOOT

- Water resistant full grain leather
- Comfort foot bed infused with **Odorban™** Control Technology

**Sizes:** 4 - 13, 6½ - 10½



## 26-626

### CLARET ELASTIC SIDED BOOT

- Water resistant full grain leather
- Comfort foot bed infused with **Odorban™** Control Technology

**Sizes:** 4 - 13, 6½ - 10½



## 26-636

### CLARET LACE UP BOOT

- Water resistant full grain leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

**Sizes:** 4 - 13, 6½ - 10½



### HYDROstop® PROTECTION

**HYDROstop®** offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.



## SOLING TECHNOLOGY



**HYDROstop**  
3 year guarantee  
against hydrolysis



**130°C**  
Heat Resistant  
sole (266° F)



Abrasion  
Resistant sole



Cut Resistant  
sole



Slip Resistant  
sole



Sole resistant to  
mineral oils  
and acids



Sole resistant to  
organic oils  
and fats



Electrical Hazard  
Resistant

### GRIPthane® Dual Density Polyurethane sole

- Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- Hard wearing PU outsole is designed for superior grip and durability
- Heat resistant outsole to temperatures of 130° Celsius
- Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11
- Resistant to mineral and organic oils and acids
- Superior resistance to abrasion and cutting
- Excellent slip resistance, rated SRC



# 22 SERIES | PVC SAFETY GUMBOOT



## 22-205 GREY SAFETY GUMBOOT

- Waterproof PVC gumboot
  - **STEELflex**® steel midsole penetration protection
  - **METprotect**® Metatarsal protection
  - Kick off spur
  - Two trim heights
- Sizes: 5- 13

✓	COMPLIES WITH	AS/NZS 2210.3:2009 EN ISO 20345:2011 ASTM F2413-11
---	---------------	--

## SOLING TECHNOLOGY



### 22 Series PVC / Nitrile Soling Technology

The WB 22 series sole consists of a hard wearing heavy duty PVC / Nitrile sole that offers extra deep tread for greater stability and grip on uneven and loose surfaces.

#### WB's 22 Series PVC / Nitrile soling technology offers:

- Heat resistant to temperatures of 130° Celsius.
- Excellent slip resistance, rated SRC.
- Resistant to solvents, mild acids, alkalis, some chemicals, oils and fats.
- Will not mark floors.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.

## 22 SERIES COMFORT TECHNOLOGY



### NANOlite® Technology

The Oliver Comfort System now has a unique **NANOlite**® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.

### NATUREform® Type 1 Toe Cap

Oliver **NATUREform**® toe caps have a wide profile shape to suit your foot and ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

### METprotect® Metatarsal Protection

Oliver patented **METprotect**® metatarsal protection offers revolutionary inbuilt design technology to protect the impact strike zone. The enhanced design offers comfort and flexibility not afforded by traditional metatarsal protection materials.

### STEELflex® Protection System.

Steel midsole protection reduces the risk of sharp objects penetrating the sole and entering the foot. A thin protective shield is inserted in the midsole providing safety while retaining comfort and flexibility of the sole. Meets requirements of Australian and New Zealand Standard AS/NZS 2210.3



# 44 SERIES

## DUAL DENSITY PU / TPU FOOTWEAR



**COMPLIES WITH** ✓  
AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



Hard wearing TPU outsole offers superior grip and abrasion resistance

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON®

Fully lined

Heel protection guard

Anti Static Sole

NANOlite® footbed for enhanced comfort and reduced odour

Stabilising and support shank

Shock absorbing PU midsole

Latex toe cap liner for added comfort  
Protection strip



EXTRA FEATURES:  
 WATER RESISTANT LEATHER

### 44-500 BLACK LACE UP SHOE

- Water resistant full grain leather
  - Padded comfort collar and tongue
- Sizes: 5 - 14, 6½ - 10½



EXTRA FEATURES:  
 HI-VIS REFLECTIVE SAFETY TRIM

### 44-535 BLUE/GREY LACE UP BOOT

- Water resistant nubuck leather with fabric inserts
  - Padded comfort collar and tongue
- Sizes: 5 - 14, 6½ - 10½



### 44-515 GREY/BLACK LACE UP SHOE

- Water resistant nubuck leather with fabric inserts
  - Padded comfort collar and tongue
- Sizes: 5 - 14, 6½ - 10½

# 44 SERIES COMFORT TECHNOLOGY



**COMFORT GUARANTEE †**

† Must produce dated receipt and guarantee tag

## SOLING TECHNOLOGY



### COMFORTcushion® Impact Absorption System

Oliver's unique COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.

### ST's TPU Soling Technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- High density hard-wearing TPU (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance.
- Heat resistant outsole to temperatures of 130° Celsius.

- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.
- Superior resistance to abrasion, splitting and cracking.
- Excellent slip resistance, rated SRC.
- Will not mark floors.



# 49 SERIES | LADIES DUAL DENSITY PU / RUBBER FOOTWEAR



**COMPLIES WITH**

AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



## 49 SERIES COMFORT TECHNOLOGY



**COMFORTcushion**  
Impact Absorption



**NATUREform**  
wide profile Type 1 safety toe cap



**Steel Safety Toe Cap**



**Water Resistant leather**



**Antimicrobial Technology**



**SOFTstride**  
Contour Comfort Support

<sup>1</sup> PORON® 2013 Rogers Corporation. All Rights Reserved



### COMFORTcushion® Impact Absorption System

**COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.

<sup>1</sup> © Devan Chemicals NV 2015



### Odorban™ Control Technology

The Oliver Comfort System footbed now includes **Odorban<sup>1</sup>** Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.



### Oliver SOFTstride® Comfort System

Oliver **SOFTstride®** Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride®** gives added reassurance to help you get through those long hours on your feet.





## 49-445Z

### BLACK ZIP SIDED BOOT

- Water resistant full grain leather
  - Premium **COOLstep**® lining for optimum freshness
  - Convenient side zip
- Metric sizes: 35 - 42

EXTRA FEATURES:



**BONUS LACES**  
COLOUR MATCHED LACES  
INCLUDED IN BOX



## 49-432Z

### WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
  - Premium **COOLstep**® lining for optimum freshness
  - Convenient side zip
- Metric sizes: 35 - 42

EXTRA FEATURES:



**BONUS LACES**  
COLOUR MATCHED LACES  
INCLUDED IN BOX



## 49-432

### WHEAT LACE UP BOOT

- Water resistant nubuck leather
- Premium **COOLstep**® lining for optimum freshness

Metric sizes: 35 - 42

EXTRA FEATURES:



**BONUS LACES**  
COLOUR MATCHED LACES  
INCLUDED IN BOX



## 49-414

### GREY/BLUE LACE UP SPORTS SHOE

- Water resistant microfiber and sports mesh upper
- Full lining and comfort footbed infused with Odorban™ Control Technology

Metric sizes: 35 - 42

EXTRA FEATURES:



## 49-430

### BLACK SLIP ON SHOE

- Water resistant full grain leather
- Premium **COOLstep**® lining for optimum freshness

Metric sizes: 35 - 42

#### LADIES SIZE CONVERSION CHART\*

METRIC	35	36	37	38		39	40	41		42
UK/AUST WOMEN	5	6	6½	7	7½	8	8½	9	9½	10

\* Chart is to be used as a guide only  
\* When ordering ladies styles only quote METRIC sizes



**COMFORT GUARANTEE†**

† Must produce dated receipt and guarantee tag

Try a pair of correctly fitted Oliver PB49 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †



## SOLING TECHNOLOGY



### PB's Dual Density PU/Rubber Soling Technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- Long wearing PB nitrile rubber outsole is designed for superior grip and durability.
- Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 38 SERIES | DUAL DENSITY PU EXECUTIVE FOOTWEAR



COMPLIES WITH



AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11

Tread pattern designed for excellent slip resistance

Hard wearing PU outsole for superior grip and durability. Anti static.

Premium soft touch leather

NATUREform® Type 1 Toe Cap. Wider profile for greater comfort

Protection strip

Latex toe cap liner for added comfort

Shock absorbing Polyurethane midsole

Oliver SOFTstride® open cell low density urethane foam for comfort and contour support

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON<sup>1</sup>

Premium leather lining

Oliver Comfort Footbed enhances natural air flow; infused with Odorban<sup>2</sup> Control Technology.

<sup>1</sup> PORON® 2013 Rogers Corporation. All Rights Reserved  
<sup>2</sup> © Devan Chemicals NV 2015



**38-275**

**BLACK LACE UP DERBY SHOE**

- Water resistant soft touch leather
- Premium leather lining

**Sizes:** 6- 13, 6 ½ - 10 ½



**38-265**

**BLACK ZIP SIDE BOOT**

- Water resistant soft touch leather
- Premium leather lining

**Sizes:** 6- 13, 6 ½ - 10 ½



**38-250**

**BLACK ELASTIC SIDED BOOT**

- Water resistant soft touch leather
- Premium leather lining

**Sizes:** 6- 13, 6 ½ - 10 ½

## COMFORT TECHNOLOGY



COMFORTcushion  
Impact Absorption



NATUREform  
wide profile Type 1 safety toe cap



Steel Safety  
Toe Cap



Water Resistant  
leather



SOFTstride  
Contour Comfort Support

## SOLING TECHNOLOGY



130°C  
Heat Resistant  
sole (266° F)



Abrasion  
Resistant sole



Cut Resistant  
sole



Slip Resistant  
sole



Sole resistant to  
mineral oils  
and acids



Sole resistant to  
organic oils  
and fats



Antistatic  
discharges static  
build-up

### NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3

### Oliver SOFTstride® Comfort System

Oliver SOFTstride® Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver SOFTstride® gives added reassurance to help you get through those long hours on your feet.

### 38 Series PB's Dual Density PU (Polyurethane) sole features:

- Heat resistant outsole to temperatures of 130° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.
- Resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 66 SERIES

## STEEL/SMELTER/ CASTING INDUSTRY FOOTWEAR



**COMPLIES WITH** ✓  
AS/NZS 2210.3:2009  
EN ISO 20345:2011  
ASTM F2413-11



EXTRA FEATURES:



### 66-299 BLACK SMELTER BOOT WITH EXTERNAL METGUARD®

- Heat resistant and flame retardant leather
- **TECTuff®** toe bumper protection
- External rigid **METguard®** for added protection
- **Qflex®** non-metallic penetration protection insole
- Full leather lining

Sizes: 5 - 14, 6½ - 10½



### 66-298 BLACK SMELTER BOOT

- Heat resistant and flame retardant leather
- **TECTuff®** toe bumper protection
- Internal **PORON XRD™** metatarsal guard for added protection
- Fully lined with additional leather lining along the foot area for additional protection

Sizes: 5 - 14, 6½ - 10½

# 66 SERIES

## COMFORT TECHNOLOGY



COMFORTcushion  
Impact  
Absorption



NATUREform  
wide profile Type  
1 safety toe cap



Water Resistant  
Leather



Steel Safety  
Toe Cap



Toe Bumper



NANOlite  
footbed



Metatarsal  
protection

## SOLING TECHNOLOGY



300°C  
Heat Resistant  
sole (572° F)



Abrasion  
Resistant sole



Cut Resistant  
sole



Slip Resistant  
sole



Sole resistant to  
mineral oils  
and acids



Sole resistant to  
organic oils  
and fats



Electrical Hazard  
Resistant

### COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

### 66 Series HS Dual Density Soling Technology

The 66 Series HS Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells, a soft midsole which cushions the foot on impact and a high density hard-wearing outsole. This provides a level of comfort and flexibility previously unknown in rubber soling.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# 66 SERIES FIRE & EMERGENCY SERVICES FOOTWEAR



**COMPLIES WITH** ✓  
AS/NZS 4821:2014  
EN 15090:2012  
Type 2 Structural  
Firefighting Footwear

## 66-396 300MM PULL ON STRUCTURAL FIREFIGHTER BOOT

- Water resistant and flame retardant leather
- **TECTuff®** toe bumper protection
- **SYMPATEX®** breathable waterproof liner & membrane
- Heavy duty **Nomex®** stitching
- **Qflex®** non-metallic midsole protection
- **PORON® XRD** flexible metatarsal protection

EXTRA FEATURES:




Sizes: 3 - 15, 3½ - 14½



**COMPLIES WITH** ✓  
AS/NZS 4821:2014  
EN 15090:2012  
Type 2 Structural  
Firefighting Footwear

EXTRA FEATURES:



## 66-395

### 230MM LACE UP STRUCTURAL FIREFIGHTERS BOOT

- Water resistant and flame retardant leather
- **SYMPATEX®** breathable waterproof liner and membrane
- **PORON® XRD™** Extreme ankle protection
- **Qflex®** non-metallic midsole penetration protection
- **TECTuff®** toe bumper protection
- Heavy duty red **Nomex®** stitching and flame proof laces
- Lace in quick release zipper attachment

Sizes: 3-15, 3½ - 14½



**COMPLIES WITH** ✓  
AS/NZS 4821:2014  
Type 1 Wildland Fire  
Fighting Footwear

### OPTIONAL LACE IN QUICK RELEASE ZIPPER ATTACHMENT

## 66-360

### 180MM WILDLAND FIREFIGHTERS BOOT

- Water resistant and flame retardant leather
- **TECTuff®** toe bumper protection
- Heavy duty red **Nomex®** stitching and flame proof laces

Sizes: 3-15, 3½ - 14½

## 66 SERIES COMFORT TECHNOLOGY



## SOLING TECHNOLOGY



### COMFORTcushion® Impact Absorption System

**COMFORTcushion®** uses a combination of cellular urethane and **PORON®** performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

### NATUREform® Type 1 Toe Cap

Oliver **NATUREform®** toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform®** caps are licensed to the Australian and New Zealand Standard AS/NZS 2210.3.

### Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian and New Zealand Standard AS/NZS2210.3.

### 66 Series HS Dual Density Soling Technology

The 66 Series HS Dual Density Nitrile Rubber Soling System utilises two layers of expanded rubber cells, a soft midsole which cushions the foot on impact and a high density hard-wearing outsole. This provides a level of comfort and flexibility previously unknown in rubber soling.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-11.
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.



# ACCESSORIES



## INSOL-N NANOLITE FOOTBED

NANOlite Impact Absorption System insole with PORON.  
Sizes: 4 - 14.



**ZIP695**  
Replacement zip  
for style 66-395  
Sizes: 3 - 15.



**ZIP691**  
Optional zip for  
65-691  
Sizes: 5 - 14.



**ZIP360**  
Optional zip for  
66-360  
Sizes: 3 - 15.

## REPLACEMENT LACES

LACE CODE	REPLACEMENT FOR:	SIZE	COLOUR
L-BL105	34-652, 44-500	105 cm	BLACK
L-BL125	26-660, 34-660	125 cm	BLACK
L-BU090	49-414	90 cm	BLUE
L-BU145	44-535	145 cm	BLUE
L-EX080	38-275	80 cm	BLACK - EXEC
L-FP160	66-360 & 66-395	160 cm	FIREPROOF / BLACK
L-GB125	26-636, 34-613, 34-634, 44-515, 49-445Z	125 cm	GREY / BLACK
L-GB155	45-637, 45-645, 45-645Z, 55-337, 55-345, 55-345Z, 55-346, 65-390	155 cm	GREY / BLACK
L-GB175	34-623	175 cm	GREY / BLACK
L-GB250	65-691	250 cm	GREY / BLACK
L-G0085	55-385	85 cm	GOLD / BROWN
L-G0125	34-632, 34-662, 49-432, 49-432Z	125 cm	GOLD / BROWN
L-G0155	34-674, 45-632, 45-632Z, 55-332, 55-332Z, 55-336	155 cm	GOLD / BROWN
L-PK130	49-445Z	130 cm	PINK / BLACK
L-PW130	49-432, 49-432Z	130 cm	PINK / WHEAT



\* Chart is to be used as a guide only, it is recommended to always try on shoe for fit before purchasing

\*\* When ordering mens styles always quote UK/AUST MEN sizing

\*\*\* When ordering ladies styles always quote METRIC sizing

## OLIVER FOOTWEAR SIZE CONVERSION CHART\*

UK/AUST MEN**	UK/AUST LADIES***	METRIC	USA MEN	USA LADIES
3	5	35	4	5, 5½
4	6	36	5	6, 6½
4½	6½	37	5½	7
5	7	38	6	7½
5½	7½		6½	8
6	8	39	7	8½
6½	8½	40	7½	9
7	9	41	8	9½
7½	9½		8½	10
8	10	42	9	10½
8½			9½	11
9		43	10	
9½			10½	
10		44	11	
10½		45	11½	
11		46	12	
12		47	13	
13		48	14	
14		49	15	
15		50	16	



## MANUFACTURER'S WARRANTY

Oliver stands for quality, comfort and protection. That's why our safety footwear is backed by a 6 month Manufacturers warranty... the Oliver Promise.

Oliver leather safety shoes and boots are warranted for six (6) months from the date of purchase against defective workmanship and/or materials when used under normal conditions for the purpose intended. The warranty is void if in the opinion of Oliver that the product has been misused or subject to excessive wear and tear including exposure to chemicals, cement, lime or heat if the

footwear has not been designed to be used in these environments.

As a requirement of this warranty the purchaser must present the footwear and provide evidence of purchase. Please return the footwear to the place of purchase.

The footwear will then be returned to Oliver for inspection by an authorized Oliver employee. If the footwear is defective they will be repaired and returned where possible, otherwise replacement footwear will be provided by Oliver.

This warranty is in addition to, and does not limit consumer's statutory rights.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.




# INDEX | FOOTWEAR SELECTOR

## ELASTIC SIDED BOOTS



**AT 45-627**  
BROWN ELASTIC SIDED  
BOOT (NON METALLIC)

**P5**



**AT 55-322**  
WHEAT ELASTIC  
SIDED BOOT

**P7**



**AT 55-320**  
BLACK ELASTIC SIDED  
BOOT

**P7**



**WB 26-620**  
BLACK ELASTIC SIDED  
BOOTS (NON SAFETY)

**P17**



**WB 26-626**  
CLARET ELASTIC SIDED  
BOOT (NON SAFETY)

**P17**



**WB 34-620**  
BLACK ELASTIC  
SIDED BOOT

**P12**



**WB 34-624**  
BEIGE ELASTIC  
SIDED BOOT

**P12**



**WB 34-626**  
CLARET ELASTIC  
SIDED BOOT

**P12**



**WB 34-680**  
BLACK ELASTIC  
SIDED BOOT

**P12**



**PB 38-250**  
BLACK ELASTIC  
SIDED BOOT

**P22**



**AT 65-393**  
TAN PULL ON  
RIGGERS BOOT

**P9**



**WB 34-692**  
BROWN PULL ON  
RIGGERS BOOT

**P12**

## PULL ON BOOTS

## LACE UP BOOTS



**AT 45-632**  
150MM WHEAT LACE UP  
BOOT (NON METALLIC)

**P5**



**AT 45-637**  
150MM BROWN LACE UP  
BOOT (NON METALLIC)

**P5**



**AT 45-645**  
150MM BLACK LACE UP  
BOOT (NON METALLIC)

**P5**



**AT 55-332**  
150MM WHEAT  
LACE UP BOOT

**P7**



**AT 55-336**  
150MM WHEAT  
LACE UP BOOT  
(METATARSAL PROTECT)

**P8**



**AT 55-337**  
150MM BROWN  
LACE UP BOOT

**P7**



**AT 55-345**  
150MM BLACK  
LACE UP BOOT

**P7**



**AT 55-346**  
150MM BLACK  
LACE UP BOOT  
(METATARSAL PROTECT)

**P8**



**AT 65-390**  
150MM TAN  
LACE UP BOOT

**P9**



**AT 65-691**  
350MM BLACK  
LACE UP MINING BOOT

**P9**



**WB 26-636**  
CLARET LACE UP ANKLE  
BOOT (NON SAFETY)

**P17**



**WB 34-632**  
WHEAT LACE UP  
ANKLE BOOT

**P11**



**WB 34-632P**  
WHEAT LACE UP  
ANKLE BOOT  
(PENETRATION PROTECT)

**P11**



**WB 34-634**  
BLACK LACE UP  
ANKLE BOOT

**P11**



**WB 34-634P**  
BLACK LACE UP  
ANKLE BOOT  
(PENETRATION PROTECT)

**P11**

## THE OLIVER PROMISE

### ✓ COMFORT

Oliver guarantee total comfort. From our energy absorbing soling technology to removable **COMFORTcushion®** PORON/PU footbeds and leather uppers, Oliver delivers superior comfort with every step you take.

### ✓ PERFORMANCE

Oliver provides total-foot support and superior stability which not only keeps you safe at work but comfortable all day long.

### ✓ DURABILITY

Oliver boots and shoes are built to last with tough, quality materials and a construction that protects your feet from hazards all year round.



LACE UP SHOES

L/UP JOGGERS

ZIP SIDED BOOTS

SLIP ON SHOES

GUMBOTS

**PB 49-414**  
GREY/BLUE LACE UP SPORTS SHOE (LADIES)



**P21**

**PB 49-430**  
BLACK SLIP ON SHOE (LADIES)



**P21**

**PB 49-432Z**  
WHEAT ZIP SIDED ANKLE BOOT (LADIES)



**P21**

**PB 49-445Z**  
BLACK ZIP SIDED ANKLE BOOT (LADIES)



**P21**

**PB 38-275**  
BLACK LACE UP EXECUTIVE DERBY SHOE



**P22**

**ST 44-500**  
BLACK LACE UP SHOE (NON METALLIC)



**P19**

**WB 34-652**  
BLACK LACE UP DERBY SHOE



**P13**

**PB 49-432**  
WHEAT LACE UP ANKLE BOOT (LADIES)



**P21**

**ST 44-515**  
GREY / BLACK LACE UP SPORTS SHOE (NON METALLIC)



**P19**

**ST 44-535**  
BLUE / GREY LACE UP SPORTS BOOT (NON METALLIC)



**P19**

**WB 34-613**  
BLACK LACE UP SPORTS SHOE



**P13**

**WB 34-623**  
BLACK LACE UP SPORTS BOOT



**P13**

**AT 45-632Z**  
150MM WHEAT ZIP SIDED BOOT (NON METALLIC)



**P5**

**AT 45-645Z**  
150MM BLACK ZIP SIDED BOOT (NON METALLIC)



**P5**

**AT 55-332Z**  
150MM WHEAT ZIP SIDED BOOT



**P7**

**AT 55-345Z**  
150MM BLACK ZIP SIDED BOOT



**P7**

**AT 55-385**  
200MM WHEAT ZIP SIDED BOOT



**P7**

**WB 26-660**  
140MM BLACK ZIP SIDED BOOT (NON SAFETY)



**P17**

**WB 34-660**  
BLACK ZIP SIDED ANKLE BOOT



**P11**

**WB 34-662**  
WHEAT ZIP SIDED ANKLE BOOT



**P11**

**WB 34-662P**  
WHEAT ZIP SIDED ANKLE BOOT (PENETRATION PROTECT)



**P11**

**WB 34-674**  
190MM BEIGE ZIP SIDED BOOT




**P11**

**WB 34-674P**  
190MM BEIGE ZIP SIDED BOOT (PENETRATION PROTECT)




**P11**

**PB 38-265**  
BLACK ZIP SIDED BOOT



**P22**

**WB 34-610**  
BLACK SLIP ON SPORTS SHOE



**P13**

**WB 34-615**  
WHEAT SLIP ON SPORTS SHOE



**P13**

**HS 66-298**  
BLACK SMELTER BOOT (INTERNAL METGUARD)



**P23**

**HS 66-299**  
BLACK SMELTER BOOT (EXTERNAL METGUARD)



**P23**

**WB 22-205**  
GREY SAFETY GUMBOOT (METATARSAL PROTECT)



**P18**

**HS 66-360**  
180MM WILDLAND FIREFIGHTERS BOOT



**P24**

**HS 66-395**  
230MM LACE UP STRUCTURAL FIREFIGHTER BOOT



**P24**

**HS 66-396**  
300MM PULL ON STRUCTURAL FIREFIGHTERS BOOT



**P24**





by Honeywell

# LOVE YOUR FEET MORE



## OLIVER FOOTWEAR

Prest Street Ballarat  
Victoria 3350 Australia

Tel: 1300 1 BOOTS (26687)  
Fax: (03) 53 200 299  
Email: [info@oliver.com.au](mailto:info@oliver.com.au)

[WWW.OLIVER.COM.AU](http://WWW.OLIVER.COM.AU)

 [Facebook.com/oliversafetyfootwear](https://www.facebook.com/oliversafetyfootwear)  
 [@oliverfootwear](https://www.instagram.com/oliverfootwear)



VERSION 06-17

# Honeywell